AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Comte 8 . CH-1844 Villeneuve . + 41 (0)2) 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



Harness inspection certificate - NfL

Inspection certificate number:

PH 374.2022

Impact pad number:

PH 374.2022

Manufacturer data

Manufacturer name:

Woody Valley srl Simone Caldana

Representative: Street:

Via Linz 23

Post code / place:

38121 Trento

Country:

Italy

Sample data:

Harness

Impact pad

Name: Type:

MK1 Pro ABS

Name Impact pad: (1) Impact pad integrated: (1)

Size:

Impact pad type:

Foam 0.96

Weight of Sample [kg]: Serial number:

7.76 107 0115 002P Weight of Sample [kg]: (1) Serial number: (1)

107 0115 002P

Clip-in weight [kg]: Integrated container for 120

Date of reception:

07.09.2022

rescue system: Volume container [cm3]: Yes 10000 max

5000 min

Date of reception:

01.02.2022

Test report summary

Structual test

Impact pad test

Result Place Date

POSITIVE Villeneuve 09.03.2022 **POSITIVE** Villeneuve 07.09.2022

Issue data

Place of declaration:

Villeneuve 03.11.2022

Managing Director:

Andrea Wigger

Date of issue: Signature:

The Base System is not covered by this certificate

This signature approves the validity of the test reports if available; no. 94.21 (test id 02, 03, 13, 09, 04, 14, 07) and no. 94.22 (test id: P, PR) Air Turquoise SA, having thoroughly assessed the sample mentioned above, declares it was found conform with all requirements defined by the following norms:

Airworthiness Requirements NfL 2-565-20 - EN12491:2015 5.3.2

Present declaration's scope only extends to the conformity of a given sample, on a given date and in a given place – as mentioned here above.

This inspection certificate contains the following test and is complet with the test, if available, report: 94.21 and 94.22

⁽¹⁾ If Impact pad is NOT integrated in the harness, it will have independently Inspection number, and serial number. Definition of integrated impact pad is impact pad which can not be dismounted from the harness, e.g. airbag. (2) If harness has an integrated inner container for emergency parachute, extra deployment tests are done for different type of emergency parachute.